

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

Product name	<sup>:</sup> Bradford Reagent
Product Number	: B6916
Brand	: Sigma

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 6310 UNITED STATES	
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052	

#### **1.4 Emergency telephone number**

Emergency Phone # : +1-703-527-3887

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 1), Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

Hazard statement(s) H290 H314 H370

May be corrosive to metals. Causes severe skin burns and eye damage. Causes damage to organs (Eyes).

Sigma - B6916

Page 1 of 11



Precautionary statement(s)	
P234	Keep only in original container.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/ physician.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
  - Synonyms
- : Coomassie^ $\mbox{ M}$  dye binding protein assay, Protein dye reagent

Component		Classification	Concentration
Phosphoric acid			
CAS-No. EC-No. Index-No.	7664-38-2 231-633-2 015-011-00-6	Met. Corr. 1; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; H290, H302, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290;	>= 10 - < 20 %
Methanol			
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370	>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma - B6916

Page 2 of 11



# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture** Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Carbon oxides, Oxides of phosphorus

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information** No data available

#### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma - B6916

Page 3 of 11



# **6.3 Methods and materials for containment and cleaning up** Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

**6.4** Reference to other sections For disposal see section 13.

# SECTION 7: Handling and storage

#### **7.1 Precautions for safe handling** Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Upper Resp Eye irritatio Skin irritati		tation
		STEL	3 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Eye irritation Skin irritation		





		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	3 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
		or Indices		
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
		or Indices	s for which ther (see BEI® sect	-
			cutaneous abso	
		TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits
			or dermal absor	
		ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential for	or dermal absor	ption
		TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		The value	in mg/m3 is ap	
		С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

Page 5 of 11



PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

#### **Biological occupational exposure limits**

Diviogical occupt					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	irks End of shift (As soon as possible after exposur			oosure ceases)

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### **Personal protective equipment**

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our

Sigma - B6916

Page 6 of 11



customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

		/ P
a)	Appearance	Form: liquid, clear
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	1.066 g/cm3 at 20 °C (68 °F)
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available

Sigma - B6916

Page 7 of 11



- s) Explosive properties No data available
- t) Oxidizing properties No data available
- **9.2 Other safety information** No data available

#### **SECTION 10: Stability and reactivity**

# **10.1 Reactivity**

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong bases, Powdered metals

#### **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine Hazardous decomposition products formed under fire conditions. - Carbon oxides, Oxides of phosphorus

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### **Acute toxicity**

No data available

Inhalation: No data available

Dermal: No data available

No data available

# Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Sigma - B6916

Page 8 of 11



- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

#### **Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

# **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

# **12.1 Toxicity**

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Other adverse effects** No data available

#### SECTION 13: Disposal considerations

#### **13.1 Waste treatment methods**

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Sigma - B6916

Page 9 of 11



Dispose of as unused product.

# **SECTION 14:** Transport information

#### DOT (US)

UN number: 1805 Class: 8 Packing group: III Proper shipping name: Phosphoric acid solution Reportable Quantity (RQ): Poison Inhalation Hazard: No

# IMDG

UN number: 1805 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: PHOSPHORIC ACID SOLUTION

# ΙΑΤΑ

UN number: 1805 Class: 8 Packing group: III Proper shipping name: Phosphoric acid, solution

# SECTION 15: Regulatory information

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Phosphoric acid	CAS-No. 7664-38-2	Revision Date 1993-02-16
Methanol	67-56-1	2007-07-01
Pennsylvania Right To Know Components		
Water	CAS-No. 7732-18-5	Revision Date
Phosphoric acid	7664-38-2	1993-02-16
Methanol	67-56-1	2007-07-01
New Jersey Right To Know Components		
Water	CAS-No.	Revision Date
a - B6916		Page 10 of 11



	7732-18-5	
Phosphoric acid	7664-38-2	1993-02-16
Methanol	67-56-1	2007-07-01
<b>California Prop. 65 Components</b> WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.Methanol	CAS-No. 67-56-1	Revision Date 2012-03-16

# **SECTION 16: Other information**

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.0

Revision Date: 10/24/2019

Print Date: 05/30/2020

Sigma - B6916

Page 11 of 11

